


FLORA

210W NL3

(Microsoft® Windows® XP Professional Operating System)

4





500 Q&A




重要	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
ヒント	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
参照	□ □ □ □ □ □ □ □
HDD	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
FDD	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
FD	□ □ □ □ □ □ □ □ □ □ □ □ □ □

URL

1

□ □ □ □ □ □ □ □	32
□ □ □ □ □ □ □ □ □ □ □ □	34
□ □ □ □ □ □ □ □ □ □ □ □ □ □	34
□ □ □ □ □ □ □ □ □ □ □ □ □ □	34
3□ □ □ □ □ □ □ □ □ □ □ □	35
□ □ □ □ □ □ □ □ □ □ □ □	36
LAN□ □ □ □	36
□ □ LAN□ □ □ □	36
□ □ □ □ □ □ □ □	36
□ □ □ □ □ □	36
□ □ □ □ □ □ □ □ □ □	37
AirH'IN□ □ □ □	37
□ □ □ □ □ □ □ □ □ □ □ □ □ □	38
AirH'IN□ □ □ □ □ □ □ □	38
□ □ □ □ □ □ □ □ □ □ □ □ □ □	38
VirusScan	38
□ □ □ □ □ □ □ □ □ □ □ □ □ □	39
BEAMSTAR□ □ □ □ □ □	40
□ □ □ □ □ □ □ □ □ □	40
Norton Ghost 2002	40
SLMTEGAK □ □ □ □ □ □	40
Office XP	40
Acrobat Reader.	40
CyberSupport for HTACH	41
□ □ □ □ □ □ □ □ □ □ □ □	42
Windows□ □ □ □ □ □ □ □	42
□ □ □ □ □ □ □ □ □ □	46
4□ □ □ □ □ □ □ □ □ □	47
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	48
□ □ □ □ □ □ □ □	48
□ □ □ □ □ □ □ □ □ □	50
LAN□ □ □ □	51
□ □ □ □ □ □ □ □ □ □ □ □	51
□ □ LAN□ □ □ □	52
DMA□ □	53
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	54
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	54
VirusScan	55
□ □ □ □ □ □ □ □ □ □ □ □	56
Norton Ghost 2002	56
Acrobat Reader.	57
CyberSupport for HTACH	57
Windows□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	58

5	□ □ □ □ Q&A.	59
	□ □ □ □ □ □ □ □ □ □ □ □	60
	□ □ □ □ □ □ □ □ □ □	62
	□ □ □ □ □ □ □	63
	□ □ □ □ □ □ □ □ □ □ □ □	64
	CD-ROM □ □ □ □ □ □	65
	FD □ □	65
	□ □ □ □ □ □ □ □ □ □	66
	HDD □ □ □ □	66
	□ □ □ □ □ □ □ □ □ □ □ □ □	67
	□ □ □ □ □ □ □ □ □ □ □ □ □ □	68
	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □	68
	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	71
	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □	74
	□ □ □ □	76
	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □	76
	□ □	77
	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	78
	□ □ □ □	79



[0 0 0 0 0 0 0 0 0 0] 0 0 0 0 0 0 0 0 0 0

0 0

([0 0 0 0 0] 0 0)

0 0 0 0 0 0 0 0 0 0 0 0 0 0 ([0 0 0] 0 0)

0 0 0 0 0 0 0 0 0 0 0 0 0 0 ([0 0] 0 0)

0 ([0 0 0] 0 0)


0 0

1 [0 0 0 0 0 0 0 0 0 0] 0 [0 0 0] 0 0 0 0 0 0 0 0 0 0

2 0 0 0 0 0 0 0 0 0 0 0 0 [0 0] 0 0 0 0 [0 0] 0 0 0 0 0 0 0 0
0 0 0 0

3 0


0 0





0 0 0 0 0 0

4 [α] 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0






■ [Fn] + [F6] ()

[Fn] 0 0 0 0 0 0 0 [F6] 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0



■ [Fn] + [F7] ()

[Fn] 0 0 0 0 0 0 0 [F7] 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0



0
0 0



1 (0 0 0 0) 0 0 0 - (0 0 0 0 0 0 0 0 0 0) 0 0 0 0 0 0 0 0

□ (0 0 0 0 0 0 0 0 0 0) 0 0 0 0


2  (0 0) 0 0 0 0 0 0 0 0 0 0 0 0 0 0

□ (0 0 0 0 0 0 0 0 0 0) 0 0 0 0 0 0 0 0





ヒント

★ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0

1(00000000)0(00)0000000000000000
 (0000)0000(00)0000000000000000
 00000000000000000000000000000000
 00000000

[illegible]

2



[0 0 0 0 0 0 0 0 0 0 0 0 0 0] 0 0 0 0 0 0

1 000000 [00] 000000000000000000

[000000000000] 0000000000

2 00000000000000000000000000000000



0 0 0 0 0 0 0 0 0 0 [0 0] 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0

1 [0000] 0000 - [0000000000] 0000000000


[0000000000] 0000000000

2 [0000000000000000] 0000000000000000

[000000000000000000000000] 0000000000

3 [00] 00000000000000000000000000000000

000[00] 00000000



ヒント

★ [0000] 0000 - [00
00000000] - [0000
00] - 0000000000
00] - [0000000000
000] 0000000000
00[000000000000
000000000000

★ [0000] 000000 (✓)
00000000000000
0000

重要

◎ [000000000000] 0
[00] 000000000000
0000000000000000
0000] 0 (✓) 000000
0000

4 [α] □ □ □ □ □ □ □ □ □ □

BIOS

BIOS

BIOS

1

Press <F12> to enter Boot Menu

[F2]

BIOS

PhoenixBIOS Setup Utility				
Main	Advanced	Security	Boot	Exit
System Time: [xx:xx:xx]		Item Specific Help		
System Date: [xx/xx/xxxx]				
▶ Hard Disk Type [xxxxxMB]		<Tab>, <Shift-Tab>, or <Enter> selects field. <F5> or <> selects next lower value. <F6> or <Space> selects next higher value.		
CPU Information: xxxxxx x.xGHz				
Code Morphing Software: x.x.x-xxx				
System Memory: 624 KB				
Extended Memory: xxx MB				
BIOS Version: x.xxxxx				
EC/KBC Version: x.xx				
F1 Help ↑↓ Select Item -/Space Change Values F9 Setup Defaults Esc Exit ←→ Select Menu Enter Select ▶ Sub-menu F10 Save and Exit				

2 [←] [→] [Security]

[Security]

重要

- ◎ Password on boot Set Supervisor Password
Hard Disk Password
Hard Disk Password

PhoenixBI OS Setup Utility				
Main	Advanced	Security	Boot	Exit
Set Supervisor Password: [Enter] Set User Password: [Enter] Password on boot: [Disabled] Change Hard Disk Password: [Disabled] Set Hard Disk Password: [Enter]			Item Specific Help Supervisor Password: controls access to the setup utility.	
F1 Help ↑↓ Select Item -/Space Change Values F9 Setup Defaults Esc Exit ←→ Select Menu Enter Select ► Sub-menu F10 Save and Exit				

00 00 00 00 00 00 00 00 00 00 00

1 [↑] 000 [↓] 0000 [Set Supervisor Password] 0000 [Enter]
000000

0 000000000000000000

Set Supervisor Password	
Enter New Password	[]
Confirm New Password	[]

2 00 80000000000000000000000000 [Enter] 000
000

0 00000 [Confirm New Password] 000000

3 0000000000000000 [Enter] 000000

0 000000000000

Setup Notice
Changes have been saved. ◆ [Continue]

ヒント

★ 0000000000000000
000000 [Esc] 00000
000

ヒント

★ 0000000000 00 9
00000000000000
a 0 0000000

重要

◎ 00000000000000
00000000000000
00000000000000
00000000000000
000

参照

0000000000 → 00000
0000000000000000

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

1 BIOS 0000000 [Security] 00000000

2 [Set Supervisor Password] 000 [Set User Password] 0000[Enter]
000000

3 [Enter Current Password] 00000000000000000000
[Enter] 000000
0 00000 [Enter New Password] 000000

4 0000000000000000 8 0000000000000000
0000000000[Enter] 000000

5 0000000000 BIOS 0000000000

0 0 0 0 0 0 0 0 0 0

1 BIOS 0000000 [Security] 00000000

2 [Set Supervisor Password] 000 [Set User Password] 0000[Enter]
000000

3 [Enter Current Password] 00000000000000000000
[Enter] 000000
0 00000 [Enter New Password] 000000

4 0000000000000000 [Enter] 000000
0 000000000000

5 0000000000 BIOS 0000000000




2 [Set Hard Disk Password] [Enter]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ [Esc] ☐ ☐ ☐ ☐ ☐ ☐


[illegible]


Setup Notice


Changes have been saved. 

[Continue]

Setup Warning

Passwords do not match . 

Re - enter password . 

 [Continue]

□ □ □ □ □ □ □ □ □ □ □ □ □ □

6 [Enter] 0 0 0 0 0 0 0 0 3 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 [Esc] 0 0 0 0 0 0

Ⓢ Hard Disk Password ☐ HDD ☐
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
☐ ☐ ☐ ☐

Ⓢ Hard Disk Password

Wake on LAN ☐ ☐ ☐ ☐ ☐

```
Wake on LAN
```

Wake on LAN

[illegible]

Wake on LAN ☐ ☐ ☐

Windows ☐ ☐ ☐

☐ Wake on LAN


1

2 [XXXXXXXXXX] XXXX[XXXXXXXXXX] X [Realtek RTL8139/810x Family Fast Ethernet NIC]XXXXXXXXXX

```
[Realtek RTL8139/810x Family Fast Ethernet NIC] 00000000
```

[illegible]

4 [] [] [] [] [Wake up on AP/PING] [] [] [Disable] []
[OK] [] [] [] [] [] [] [] [] []



CPU HDD



00	00	000000
0000000000 00000000	0 CPU 0000000000 00 0000000000000000 000000 0000000000 0 HDD 0000000000	000000 00
0000000000 00000000	0000000000 HDD 000 00000000000000	000000 00
0000000000	0000000000 0000000000000000 000000	000000 00
HDD 000	0 HDD 0000000000	

重要

- 00000000000000
00000000000000
00000000000000
00000000000000
0000
- USB 000000000000
00000000000000
0000

6 [0000000000] 0000 [000000000000000000
 0000] 000 USB 00000000000000000000
 0 0000000000000000



7 [00000] 000000 0000000000000000000000
 000000000000000000000000000000000000
 000 [OK] 00000000000000

0000000000

0000000000000000

重要

- ◎ 000000 FD 00 CD-ROM 0
 0000000000000000
 0000000000000000
 0000000000000000
 0000000000000000
 0000000000000000
 000000
 0000000000000000
 00 [Ctrl] 0 [Alt] 00000
 000 [Delete] 000000
 00000000000000
- ◎ 0000000000000000
 0000000000000000
 0000000000000000




[] [] [] [] [] [] [] [] [] [] [] []

```

★ [ 0 0 0 0 0 0 0 0 0 0 ] 0
  [ 0 0 0 0 0 0 0 0 0 0 0 0 ]
  0 ] 0 0 0 0 0 0 0 0 0 0 0 0
  0 [ 0 0 0 0 0 0 0 0 ] 0 0 0
  0 0 0 0 0 0 0 0 0 0 0

```

3□



□□□□□□□□□□□□□□□□□□□□□□

☐ LAN ☐ LAN

[illegible]

USB-HDD User
Password

```
c:\Mitachi\programs\Cradle >> Password Utility.exe
```

2 Password Utility.exe

3 [] User Password []

[illegible]

```

⊙ USB-HDD  0 0 0 0 0 0 0 0 0 0
USB-HDD  0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 User
Password 0 0 0 0 Supervi sor
Password  USB-HDD  0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 Supervi sor Password
0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 Hard Disk
Password 0 0 0 0 0 0 0 0
0 USB-HDD  0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 User Password
0 0 0 Hard Disk Password
0 0 0 0 0 0 0 0 0 0 0 0

```

```

00000000 VirusScan 0000
00000000 00000000 00000000
0000 Readme.txt 00000000
00000000 00000000 00000000

```


BEAMSTAR

BEAMSTAR
c:¥hi tachi ¥programs¥beanstar pdf
txt

Web

Nbrton Ghost 2002

HDD
readne.txt

SLM TEGAKI

Windows
c:¥hi tachi ¥programs¥tegaki ¥gui de. pdf
readne.txt

Office XP

Microsoft Office XP
(Word Excel Outlook) Microsoft Office XP
Office XP
Microsoft Office XP CD-ROM CD-ROM

Acrobat Reader

PDF

重要

- © Norton Ghost
H TAC
Synantec Corporation
- ©

参照

→ c:¥hi tachi ¥
programs¥ghost¥readne.txt
c:¥hi tachi ¥programs¥ghost¥
Documents¥Ghost_gui de. pdf

重要

- © Microsoft Office XP
(Office XP Office
XP
Office XP
Office XP
Office XP
Office XP
Office XP
Office XP

参照

→ Windows
2



42

10

[illegible]

0000	00000000	000000
0000000000	RAW	TEXT

Microsoft Word Win32 :
 :
 :
 :

1

[illegible]

1

[illegible]

100

Windows

100

Microsoft Internet Explorer

100

$\frac{1}{10} + \frac{9}{10}$

10

```
[ ] [ ] [ ] [ ] [ ] [ ] [ ] NTFS [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]  
[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]  
Windows [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]  
[ ] [ ] [ ] } [ ] [ ] [ ] [ ] [ ] [ ] { [ ] [ ]  
[ ] [ ] [ ] } [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]  
[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]  
[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]  
[ ] [ ] Administrators [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]
```

10

[illegible]

1 2 3 4 5 6 7 8 9 10 11 12

40



□ □

□ □ □ □ □ □ □ □ □

□ □

□ □ □ □ □ □ □ □ □ □

5 [00000000000000000000] 0 [00000000] 0
000000[00] 0 c:\hitachi\drivers\xp\vga 000000[00]
000000000000

0 [0000000000000000] 0000000000

6 [00] 00000000000000

7 [Silicon Motion Lynx3DM 000000] 0000 [0000] 000000
0000000

0 [0000000000] 0000 [00000000000000000000] 00
000000

8 [00] 000000000000000000000000000000000000

9 [00000] 00000 [0000000000000000] 0000000000

0 [0000000000000000] 000000000000

10 c:\hitachi\drivers\xp\vga\video\setup 0000000 [OK] 00000
00000000

0 [00000] 000000000000

11 [00] 00000000000000

0 [000000 00000000] 000000000000

12 000000000000[00] 00000000000000

0 [0000000000] 000000000000

13 [00] 00000000000000

14 [00000] 0000000000000000

15 0000000000] 000000000000000000000000

ヒント

★ 0000000000000000
00
000000 1024 × 768
00000000 1600000

参照


000000000000 → 1000000
0000000000000000 (P. 10)

ヒント

★ 0000000000000000
000 ON 000000000

参照

0000000000000000
→ 3000 [0000000000] 0
00 [Lynx3DM] 0000 (P. 36)



```
[Ali Audio Accelerator VDM driver ]
```

4 [00000000000000000000000000000000] 00000000
[00] 0000000000000000
[0000000000000000] 0000000000

6 [] [] [] [] [] [] [] [] [] [] [] []

50

3 c:\windows\system32\cmd.exe [OK]

[illegible]

5 [] [] [] [] [] [] [] [] [] []
[] [] [] [] [] [] [] [] [] [] [] []

[illegible][illegible]

8 □□□□□□□□(□□□□□□)□□□□□□□□
 (□□□□□□□□□□□□□□□□)□□□□□□□□
 (□□)□□□□□□□□□□
 □□□□□□□□□□□□

LAN

1

2 [[] [] [] [] [] [] []] [] [] [] [[] [] [] [] [] []] [] [[] [] [] []
[] [] [] [] []] [] [] [] [] [] [] [] [] [] []

[] [[] [] [] [] [] [] [] [] [] [] [] [] []] [] [] [] [] [] [] [] [] [] []

3 [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] []
[] [] [] [] [] [] [] [] [] [] [] [] [] [] [] []

[illegible]

5 [00000000000000000000] 0 [00000000] 0
 000000c:\hitachi\drivers\spwan\winp 000000[00] 00
 0000000000
 0 [00000000000000000000] 0000000000

6 [00] 00000000000000

DMA 0 0

00 IDE 000000000000 DMA 00000000000000000000
 0000
 0000000000 DMA 0000000000000000
 000000000000000000000000000000

1 00


2 [0000] 000 - [0000000000] 0000000000

3 [0000] 0000000000000000 [000000] 000
 [0000000000] 000000000000
 0 [0000000000] 0000000000

4 [IDE ATA/ATAPI 0000000] 00000000000000
 0 [000000 IDE 00000] 0 [000000 IDE 00000] 00000000

5 [000000 IDE 00000] 00000000000000
 0 [000000 IDE 000000000000] 0000000000

6 [0000] 0000000000 [00000] 0 [DMA 00000
 00)] 0000000 [OK 00000000000000
 PIO 00000000000 [00000] 0 [PIO 00] 00000000



インストール完了後、再起動してください。

インストール対象のソフトウェア	インストール可能	インストール不可
	○インストール可能 ×インストール不可	○インストール可能 ×インストール不可
ウイルスバスター VirusScan	○	×
バックアップソフト Norton Ghost 2002	○	×
SLM-TEGAKI 製品	×	×
AirH! IN 製品	○	○
Microsoft Office XP (Office XP) *	×	○
Acrobat Reader	○	○
CyberSupport for Hitachi	○	○

※ Office XP は、インストールできません。

インストール完了後、再起動してください。

1. [スタート]メニュー - [プログラム]をクリック

[Hitachi]をクリック

2. c:\hitachi\programs\hitachi\setup をダブルクリック [Enter] を押す

3. インストール完了後、再起動してください

ヒント

★ インストール中にエラーが発生した場合、インストールを中止してください。

★ インストール中にエラーが発生した場合、インストールを中止してください。

重要

◎ インストール中にエラーが発生した場合、インストールを中止してください。

◎ Microsoft Office XP (Office XP) Office XP は、インストールできません。

VirusScan

1

2. $\{0000\}000 - \{000000000000\}00000000$
 $\{000000000000\}00000000$

3 c:\mitachi\programs\scan\setup [OK]

[illegible][illegible]

6 { 00000000000000 } 00000000 { 00 } 000000
000000

☐ { 0000000000 } 0000000000

[illegible][illegible][illegible]

[illegible]

[McAfee VirusScan]

11 [] [] [] [] [] [] [] [] [] []

CC BY-NC-SA

1[0000]0000[00000000000000]00000000

[illegible]

2 c: ¥hi tachi ¥program ¥internet marks ¥pi ne011 □ □ □ □ □ [OK] □ □ □ □

□ □ □ □ □ □ □

[] [] [] [] [] [] [] [] [] [] [] []

3

Norton Ghost 2002

[illegible][illegible]

2 c:\hitachi\programs\ghost\install\setup [OK]

□ □ □ □ □ □

[Norton Ghost 2002] [Install / Shield]

3 [] [] [] [] [] [] [] [] [] []

☐ [☐ ☐ ☐ ☐ ☐ ☐] ☐ ☐ ☐ ☐ ☐ ☐

4

参照

```
Norton Ghost 2002  →
c:\nritachi\programs\ghost\Readme.
txt  c:\nritachi\programs\ghost\
Documents\Ghost guide.pdf
```

0000000000 [Norton Ghost 2002 000000000000]
 0000000000 [0000] 0000000000 000000
 0000000000

Acrobat Reader

1 [0000] 0000 - [00000000000000] 00000000

[000000000000] 0000000000

2 c:\hitachi\manual\install\iar505jpn 00000 [OK] 00000000
 000

[Adobe Acrobat 5.0.5 000000] 0000000000

3 00000000000000000000

[00000 [00] 0000000000

4 [OK] 000000000000

CyberSupport for HTACH

1 [0000] 0000 - [00000000000000] 00000000

[000000000000] 0000000000

2 c:\hitachi\manual\install\cybersupport\setup 00000 [OK] 000
 0000000000

3 CyberSupport for HTACH 00000000000000000000
 00 ? 0000000000000000 [00] 000000000000

[CyberSupport 000000000000000000000000

4 0000000000000000000000 0000 [00] 00
 0000000000

[0000000000000000

Windows

Windows

1 [] - []

[illegible]

3 [Windows] のインストール

4 1000
0000000000000000[00]000000000000000000000000
000000000000000000[α]000000000000000000000000

[illegible]



A

Q

A

Q

A

Q

A


Q

A

60

[illegible][illegible]

A

$$1 \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ - & [& 0 & 0 & 0 & 0 & 0 & 0 &] & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix}$$


¹ $\frac{1}{\sqrt{\pi}} \int_{-\infty}^{\infty} f(x) \delta(x-a) dx = f(a)$


□ □ □ □ □ □ □ □ □ □ □ □ □ □ □

1 □□□□□ □□□□□□□□□□(□□)□□□□□(□□)□□□□□
□□□□□

□ □ □ □ □ □ □ □ □

A

□ □

[illegible][illegible][illegible][illegible][illegible]
































□ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

CD-ROM

CD-ROM □ □ □ □ □ □ □

CD ROM Macintosh CD ROM

[illegible]

CD-ROM Not Ready

[illegible]FD [illegible]

FDI (Foreign Direct Investment) is the investment made by a foreign entity in a domestic entity. It is a key indicator of a country's economic growth and development. FDI is measured in billions of US dollars. The data shows that FDI has been increasing steadily over the years, with a significant increase in 2019. The table below shows the FDI data for the years 2010 to 2019.

[illegible]

FD 720KB 1.25MB
1.44MB FD

Macintosh FD

FDI IN THE TROPICAL FOREST

FD FD

FD [] [] [] [] [] [] []

[illegible]

参照

□ □ □ □ □ □ □ □ □ □ □ □ □ □ → □ □ □
 □
 □ □ 3 □

参照



0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0



0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

0
0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0



0 0 LAN 0 0 0 0 0 0

0 0 (vep) 0
0 0 0 0 0 0 0 0 0 0



LAN 0 0 0 0 0 0



0 0 0 0 0 HUB 0 0 0 0 0 0 (0 0 0 0 0 0 / 0 0 0 0 0 0) 0 0 0 0 0 0 0
0 0 0 0 HUB 0 10BASE-T/
100BASE-TX 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 HUB 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

0 100BASE-TX 0 0 0 0 0 0 0 0 0 0 100BASE-TX 0 0 0 0 0 0 0 0 0 0
0 0

0 LAN 0

0 0

0 Net Ware 0
0 0 0 0 0 0 0 0 0 0 Net Ware 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 auto 0 0 0 0

参照

0 0 0 0 0 0 0 0 0 0 0 0 → 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 2 0 0 0 0 0 0 0 0 0 0 0 0

Q

10BASE5/10BASE-T

A

10BASE5 HUB 10BASE5
10BASE-T HUB SCF
OFF SCF
CN
SCF CN 10BASE-
T LAN 1 2
HUB

Q

A

HUB
HUB
Windows
Windows

Q

Q

CD-ROM

A


1
2
3
4

Q

A

69

- 1 [Internet Explorer] の []
- 2 [] の []
- 3 [] の []
- 4 [] の []



[]

[]

[Outlook Express] の []

[]

[]



[]

A

[]



[]

A

[URL] の []

[URL] の []

[URL] の []

- 1 [Internet Explorer] の []
- 2 [] の []
- 3 [] の []
- 4 [] の []
- 5 [] の []



[]

A


[]

[illegible]

A

[illegible]

- [illegible]




□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

A

[illegible]

- [illegible]



参照

73

日立パソコン 総合案内のフタバティ

全般 Webドキュメント スケジュール ダウンロード

ダウンロードするコンテンツ

このページからダウンロードするリンクの追加

0

このページの Web サイト外のリンクを含まない

☐ ダウンロードに使用するハードディスク領域を制限する

詳細...

☒ このページが変更された場合、電子メールを送信する

電子メール アドレス XXXXXXXXXX

電子メール サーバ名 XXXXXXXXXX

SMTP

このサイトの検索にユーザー名とパスワードが必要な場合は、[ログイン] をクリックしてください

ログイン

OK キャンセル 適用

[illegible]




□ □

A

Outlook Express

[illegible]

11


$$1 \begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix} - \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} - \begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix} \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} \begin{pmatrix} 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{pmatrix}$$
[illegible][illegible]

$4 [\begin{matrix} & \\ & \\ & \\ & \\ & \end{matrix}]$

[illegible]

□□□□□□□□ [OK] □□□□ 2□□□□□□□ [□□□□□□□□]


1 1 1 1 1




⁵[2. □□□□□□□□□□□□□□□□]□[□□□□□□□□□□
□□□]□□□□□□□□[3. □□□□□□(□□□□□□□□□□□□

6 []] [

$$7[4.\dots]\dots[\infty]\dots 2\dots$$





HTAC →

□□□□□□□□	□□□□□□	□□□□	FAX□□
Microsoft Office XP	□□□□□□□□□□□□□□	03-5354-4500 06-6347-4400	□
AOL	AOL□□□□□□□□	0120-275-265	□
BI GLOBE	BI GLOBE□□□□□□□□	0120-86-0962	□
□□□□□□□	□□□□□□□□□□□□□□ □□□□	0120-5656-86	045-222-8561
i sao	i sao□□□□□□□□	0570-057-050	□
CCN	CCN□□□□□□□□□□	0120-047-815	□
CCN	CCN□□□□□□□□	0088-86 (□□□□□□) 0088-85 (□□□□□□)	0088-22-8850
□□□□	TTnet□□□□□□□□	0081-1588	□
□□□□□□□□□□	□□□□□□□□□□ □□□□□□□□□□ □□□□□□□□□□□□□□□ G	e-mail: internet-narks@n.itg.hitachi.co.jp □ e-mail □□□□□□□□□□□□□□□□	
SLM/TEGAKI □□□□□□	H TAC□□□□□□□□□□	0120-2580-91	□
Norton Ghost 2002			
Acrobat Reader			
CyberSupport for H TACH			

- [illegible]



A

Acrobat Reader 40, 57

B

BEAMSTAR 40

BIOS 18

Boot Menu 25

C

CyberSupport for HTACH 41, 57

H

HDD 28

I

I/O 16

IRQ 16

L

LAN 36, 51

N

Norton Ghost 2002 40, 56

O

Office XP 40

S

Security 18

SUMTEGAKI 40

V

VirusScan 38, 55, 76

VShield 76

W

Wake on LAN 24

Windows 15

Windows 58

□

□ 54

□

□ 68

□ 40, 56

□

□ 12

□

□ 28

□

□ 48, 54

□

□ 36, 50

□

□ 15

□

□ 28

□

□ 51

□ 7

□

□ 58

□

□ 28

□

□ 17

□

□ 48, 36

□

□ 36

□ 71

□

□ 13

□

□ 8

□

□ LAN 36

□

□ 74

□ 15

□

□ 11

□

□ 16

Microsoft Windows
Microsoft Corp.
Microsoft Windows
Microsoft Corp.

Microsoft Windows

2003 2

Microsoft Windows

Microsoft Windows



Hitachi

Hitachi

243-0435 810

HCA 0120-2580-91

Copyright © Hitachi, Ltd. 2003. All rights reserved.

HITACHI